



POWER TOOL ACCESSORIES



SUPER PREMIUM

CHALLENGER SEGMENTED SAW

Product Features

- 100% hot press
- High premium treated diamonds
- Anti clog bond system
- Effortless fast cutting
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	105	1.8 X 8	20	Super Hard Granite and Stones

CHALLENGER CONTINUOUS RIM

Product Features

- 100% hot press
- High premium treated diamonds
- Anti clog bond system
- Effortless fast cutting
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Rim	110	2 x 10	20	Super Hard Granite and Stones

SPEED SUPER JUMBO SEGMENTED SAW

Product Features

- 100% advanced hot press
- 15 mm jumbo segment
- 1000 RFT record output.
- Ultra smooth cutting
- Fine finish



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.7 X 15	20	Super Hard Granite and Stones

SPEED LONG LIFE

Product Features

- 100% hot press
- Special coated diamond grains
- Anti wear bond system
- Long life - 3 times of normal saws.



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 10	20	Abrasives Material and Medium Hard Stones

Other sizes available on request.

PREMIUM

SPEED SEGMENTED SAW

Product Features

- Semi hot press
- Free cutting bond
- Larger diamond grits
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	105	1.8 X 8	20	Hard Granite and stones
Segmented	110	1.8 X 10	20	Hard Granite and stones
Segmented	125	2.0 X 10	22.23	Hard Granite and stones
Segmented	150	2.2 X 10	22.23	Hard Granite and stones
Segmented	200	2.2 X 10	22.23	Hard Granite and stones
Segmented	250	2.4 X 10	22.23	Hard Granite and stones
Segmented	300	3.0 X 10	50	Hard Granite and stones
Segmented	350	3.2 X 10	50	Hard Granite and stones
Segmented	400	3.4 X 10	50	Hard Granite and stones
Segmented	450	3.6 X 10	50	Hard Granite and stones
Segmented	500	4.2 x 10	50	Hard Granite and stones
Segmented	600	4.8 x 10	50	Hard Granite and stones

SPEED CONTINUOUS RIM

Product Features

- Semi hot press
- Free cutting bond
- Larger diamond grits
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Rim	105	1.8 X 8	20	Granite and Bricks
Rim	110	1.8 X 10	20	Granite and Bricks
Rim	125	2.0 X 10	22.23	Granite and Bricks
Rim	150	2.2 X 10	22.23	Granite and Bricks
Rim	200	2.2 X 10	22.23	Granite and Bricks
Rim	250	2.4 X 10	22.23	Granite and Bricks
Rim	300	3.0 X 10	50	Granite and Bricks
Rim	350	3.2 X 10	50	Granite and Bricks

SPEED TURBO SAW

Product Features

- Unique turbo design
- Fast cutting bond
- Premium diamond grits
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Turbo	105	1.8 X 8	20	Granite and Concrete
Turbo	110	1.8 X 10	20	Granite and Concrete
Turbo	125	2.0 X 10	22.23	Granite and Concrete
Turbo	150	2.2 X 10	22.23	Granite and Concrete
Turbo	200	2.2 X 10	22.23	Granite and Concrete

Other sizes available on request.





STANDARD

CHAMAK SEGMENTED SAW

Product Features

- Fine diamond packed design
- Chip free cutting
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	105	1.8 X 8	20	Marble, Lime stones and Brick Walls



CHAMAK SHARP SEGMENTED SAW

Product Features

- Universal segment design
- 9 segments
- Cut faster and last longer

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 10	20	Medium Hard Granite and Bricks
Segmented	125	2.0 X 10	22.23	Medium Hard Granite and Bricks
Segmented	150	2.2 X 10	22.23	Medium Hard Granite and Bricks



CHAMAK RIM

Product Features

- Unique turbo design
- Fast cutting bond
- Premium diamond grits
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Rim	105	1.8 X 8	20	Granite and Bricks

Other sizes available on request.

WALL CUTTERS

CHAMAK WALL CUTTER

Product Features

- Coarse and Fine diamond mix
- Anti wear bond
- Faster cutting and Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 10	20	Wall Cutting
Segmented	125	2.0 X 10	22.23	Wall Cutting

CHAMAK WALL CHASER

Product Features

- Premium diamond for hard concrete
- Anti wear bond
- Faster cutting and Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x segment Height (H)	Bore	
Rim	110	1.8 X 10	20	Wall Cutting
Rim	125	2.0 X 10	22.23	Wall Cutting



CHAMAK WALL CUTTER TURBO

Product Features

- Slim turbo design
- Faster penetration
- Cut faster and last longer

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Turbo	110	1.8 X 10	20	Wall Cutting

Other sizes available on request.



CERAMIC SAWS

SPEED CERAMIC SEGMENTED SAW

Product Features

- Treated fine diamond grits
- Smooth cutting
- Zero chipping design
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 10	20	Ceramic & Italian Marbles



SPEED CERAMIC RIM

Product Features

- High Stiffness blank
- Zero chipping design
- Best suit for Hard Ceramics and Italian
- Smooth and fast cutting

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Rim	105	1.6 X 5	20	Ceramic and Italian Marbles



SPEED CERAMIC TURBO

Product Features

- Best suit for Italian Marble and Vitrified Ceramic
- Smooth cutting
- Zero chipping design
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Turbo	110	1.1 x 8	20	Ceramic and Italian Marbles



SPEED GLASS CUTTING SAW

Product Features

- Ultra thin body - 0.9 mm thick
- Laser cutting quality
- High quality premium diamond coating
- Suitable for glass, ceramic and POP

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Electro plated	100	0.8 X 20	20	Glass, Ceramic and POPs

Other sizes available on request.

PREMIUM CARVING SAWS

SPEED CUP WHEELS



Product Features

- Larger diamond grits
- Ultra fast grinding
- Vibration free balanced body
- Longest life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T)	Bore	
Segmented	75	2.5	20	Granite
Segmented	100	2.5	20	Granite



SPEED PLATE WHEEL

Product Features

- Hot press segments
- Effortless grinding
- Vibration free balanced body
- Extra long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T)	Bore	
Rim	105	3.0	20	Granite and Concrete
Turbo	110	3.0	20	Granite and Concrete



SPEED TUCK POINT

Product Features

- Laser welded
- Treated large diamond grits
- Longest life
- Reliable and Safe
- Ultimate cutting speed

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	5.5 X 7	20	Stone Carving
Segmented	210	5.5 X 8	22.23	Stone Carving



CHALLENGER HOT PRESS TURBO

Product Features

- 100% Hot press
- Special turbo shape for a faster dry cutting
- Longest life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Turbo	200	2.4 X 10	22.23	Dry Cutting Granite



EDGE CUTTING SAWS

CHALLENGER DIAMOND SAW

Product Features

- Treated diamond grits
- Soft cutting for hard granites
- Chip free edges
- Longest life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	355	3.2 X 9	50	Hard Granite

Other sizes available on request.



SPEED DIAMOND SAW

Product Features

- Premium diamond grits
- Chip free finish
- Fast cutting
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	355	3.2 X 9	50	Granite



SPEED DIAMOND MULTI PURPOSE SAW

Product Features

- Cuts Metal, Stone, Concrete, Fibre Glass etc.
- Unique Vacuum brazing
- Faster Cutting and Longer life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Vacuum Brazed	350	2.8 X 3	25.4	Metal, Stone, Concrete Fibre and Others

Other sizes available on request.

CORE DRILLS

CORE BITS

Product Features

- Monolithic body for vibration free drilling
- Soft and smooth drilling
- High concentration diamond bits
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Thread	6 - 75	2.8 X 8	M10 & M14	Stone and Concrete
Spindle	6 - 75	2.8 X 8	6 MM	Stone and Concrete



SPEED DRILLS

Product Features

- Suitable for concrete, wall and stones
- Perfect balanced body
- High concentration diamond segments
- Soft and smooth drilling

Type	Dimension (mm)		Use on
	Dia (D)	THK (T) x Length (L)	
Segmented	25 - 300	4 X 475	Concrete



SDS CHISELS

Product Features

- German Design and Technology
- Best suit for stone, concrete and bricks
- Long life
- Origin carbide and Harder alloy body
- Soft and smooth drilling

Type	Dimension (mm)		Use on
	Dia (D)	Length (L)	
SDS X 2CT	5 - 30	50 - 510	Concrete



SDS DRILLS & CHISELS

Product Features

- German Design and Technology
- Soft and smooth Chiselling
- Harder alloy body
- Long life

Type	Dimension (mm)		Use on
	Dia (D)	Length (L)	
SDS	14 - 18	450	Concrete

Other sizes available on request.



POLISHING ABRASIVES

CHAMAK POLISHING PADS



Product Features

- Special Turbo Design, Higher Diamond Thickness
- Hi - tech synthetic polymer bonding
- Scratch free antique finish
- Quick finish and long life

Type	Dimension (mm)		Use on
	Dia (D)	THK (T)	
Floor	100	5	Marble and Granite
Hand	100	5	Marble and Granite

CHAMAK ANTIQUE BRUSHES



Product Features

- Original Du-point bristles
- Mechanical and Chemical anchoring
- Scratch free antique finish
- Quick finish and long life

Type	Dimension (mm)		Use on
	Grit Sizes		
Frankfurt & CRB (Round)	Metal Wire Brush 36, 46, 60, 80, 120, 240, 320, 500, 1000		Marble and Granite

CHAMAK GDCG WHEELS



Product Features

- Origin Green silicon carbide
- Hi-tech epoxy bonding
- Sharp grains - faster grinding
- Long Life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T)	Bore	
DC	100	2.5	16	Marble, Granite and Glass

CHAMAK POLISHING POWDER



Product Features

- Oxide and acid free product
- High Polish
- Quick Polish
- Anti Skid
- Environmental Friendly and safe

Type	Dimension (mm)		Use on
	Quantity		
Powder	500 gms, 5 Kg and 25 Kg		Marble and Granite

Other sizes available on request.

WOOD CUTTER SAWS

CUMI GOLD



Product Features

- High density alloy treated tungsten carbide tips
- CNC profiled cutting edges
- Fast cutting and Superior finish
- Longer life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.8 X 40T	20	Hard Wood and Hot Press Plywood
TCT	110	1.8 X 30T	20	Hard Wood and Hot Press Plywood
TCT	125	1.8 X 40T	20	Hard Wood and Hot Press Plywood
TCT	125	1.8 X 30T	20	Hard Wood and Hot Press Plywood

SUPER PREMIUM

SAND MASTER ULTRA WOOD CUTTER CUT & FIT DESIGN

Product Features

- High density origin tungsten carbide tips
- CNC profile cutting edges
- Fast cutting and superior finish
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.8 X 40T	20	Wood, Plywood, Lamination Board, MDF Boards and Powder Wood
TCT	110	1.8 X 30T	20	Wood, Plywood, Lamination Board, MDF Boards and Powder Wood
TCT	125	1.8 X 40T	20	Wood, Plywood, Lamination Board, MDF Boards and Powder Wood
TCT	125	1.8 X 30T	20	Wood, Plywood, Lamination Board, MDF Boards and Powder Wood

SPEED TOUGH WOOD

Product Features

- High density origin tungsten carbide tips
- Suitable for Wood with nails
- Fast cutting and superior finish
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.8 X 40T	20	Hard Wood, Hard Board Wood with nails and Hot press Board
TCT	110	1.8 X 30T	20	Hard Wood, Hard Board Wood with nails and Hot press Board
TCT	125	1.8 X 40T	20	Hard Wood, Hard Board Wood with nails and Hot press Board
TCT	125	1.8 X 30T	20	Hard Wood, Hard Board Wood with nails and Hot press Board

SPEED TWO WAY

Product Features

- Premium origin tungsten carbide tips
- Two way cutting design
- Suitable for Curve cuttings
- Fast cutting and superior finish
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.8 X 40T	20	Wood and Plywood
TCT	110	1.8 X 30T	20	Wood and Plywood
TCT	125	1.8 X 40T	20	Wood and Plywood
TCT	125	1.8 X 30T	20	Wood and Plywood

SPEED DELUXE WOOD CUTTER

Product Features

- Premium treated tungsten carbide tips
- Stiff Steel body
- Ultra Fast cutting and Superior finish
- Long life



Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	2.0 X 40T	20	Hard Wood and Hard Plywood
TCT	110	2.0 X 30T	20	Hard Wood and Hard Plywood
TCT	125	2.0 X 40T	20	Hard Wood and Hard Plywood
TCT	125	2.0 X 30T	20	Hard Wood and Hard Plywood

SPEED WOOD CUTTER



Product Features

- Premium TCT Tips for wood and plywood
- Fast cutting and superior finish
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	2.0 X 40T	20	Wood and Plywood
TCT	110	2.0 X 30T	20	Wood and Plywood
TCT	125	2.0 X 40T	20	Wood and Plywood
TCT	125	2.0 X 30T	20	Wood and Plywood

CHAMAK SHARP WOOD CUTTER



Product Features

- Premium Carbide
- Alloy Steel Body
- Ultra Thin Design
- Fine Finish
- Suitable for Wood and Plywood

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.8 X 40T	20	Wood and Plywood
TCT	110	1.8 X 30T	20	Wood and Plywood
TCT	125	1.8 X 40T	20	Wood and Plywood
TCT	125	1.8 X 30T	20	Wood and Plywood

Other sizes available on request.

PREMIUM METAL CUTTING SAWS

SPEED ALUMINIUM CUTTER



Product Features

- Unique profile TCG designed Tips
- High density TCT Tips
- Faster cutting and superior finish
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	2.0 X 40T	20	Wood and Plywood
TCT	255	2.8 X 100T	22.23	Wood and Plywood
TCT	300	3.0 X 100T	25.4	Wood and Plywood
TCT	300	3.0 X 120T	25.4	Wood and Plywood
TCT	350	3.2 X 100T	30.0	Wood and Plywood
TCT	350	3.2 X 120T	30.0	Wood and Plywood

SPEED STEEL CUTTING SAW



Product Features

- Unique profiled TCT Tips
- High density Tungsten carbide
- Chip free cutting
- Burn free finish and Long life
- Best suit for Steel and Ferrous metals

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	250	2.8 X 72T	25.4	Mild Steel
TCT	300	3.0 X 80T	25.4	Mild Steel

Other sizes available on request.