

# **POWER TOOL ACCESSORIES**



## **SUPER PREMIUM**

• High premium treated diamonds

• High premium treated diamonds

### **CHALLENGER SEGMENTED SAW**

#### **Product Features**

- · Anti clog bond system • 100% hot press
  - Long life · Effortless fast cutting

Tuno		Dimension (mm)	Use on		
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	Use on	
Segmented	105	1.8 X 8	20	Super Hard Granite and Stones	

## **CHALLENGER CONTINUOUS RIM**

#### **Product Features** • 100% hot press

- · Anti clog bond system
  - · Long life · Effortless fast cutting
- **Dimension (mm)** Use on Туре Dia (D) THK (T) x Segment Height (H) Bore 110 2 x 10 Rim 20 Super Hard Granite and Stones

### SPEED SUPER JUMBO SEGMENTED SAW

#### **Product Features**

- 100% advanced hot press • 1000 RFT record output.
  - Fine finish
- 15 mm jumbo segment
- Ultra smooth cutting

Tune		Dimension (mm) Use on		lles en
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	use un
Segmented	110	1.7 X 15	20	Super Hard Granite and Stones

## SPEED LONG LIFE

### **Product Features**

- 100% hot press
- · Anti wear bond system
- Special coated diamond grains
- Long life 3 times of normal saws.

Tuno		Dimension (mm)		lies on
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	Use on
Segmented	110	1.8 X10	20	Abrasives Material and Medium Hard Stones

# Other sizes available on request.











## PREMIUM

## **SPEED SEGMENTED SAW**

### **Product Features**

- · Semi hot press • Larger diamond grits
- Free cutting bond Long life

	u grito			
Tuno		Dimension (mm)		Use on
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	105	1.8 X 8	20	Hard Granite and stones
Segmented	110	1.8 X 10	20	Hard Granite and stones
Segmented	125	2.0 X 10	22.23	Hard Granite and stones
Segmented	150	2.2 X 10	22.23	Hard Granite and stones
Segmented	200	2.2 X 10	22.23	Hard Granite and stones
Segmented	250	2.4 X 10	22.23	Hard Granite and stones
Segmented	300	3.0 X 10	50	Hard Granite and stones
Segmented	350	3.2 X 10	50	Hard Granite and stones
Segmented	400	3.4 X 10	50	Hard Granite and stones
Segmented	450	3.6 X 10	50	Hard Granite and stones
Segmented	500	4.2 x 10	50	Hard Granite and stones
Segmented	600	4.8 x 10	50	Hard Granite and stones

## **SPEED CONTINUOUS RIM**

## **Product Features**

- Semi hot press • Larger diamond grits
- Free cutting bond Long life

-	-	-		
Tuno		Dimension (mm)	Use on	
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	USE OII
Rim	105	1.8 X 8	20	Granite and Bricks
Rim	110	1.8 X 10	20	Granite and Bricks
Rim	125	2.0 X 10	22.23	Granite and Bricks
Rim	150	2.2 X 10	22.23	Granite and Bricks
Rim	200	2.2 X 10	22.23	Granite and Bricks
Rim	250	2.4 X 10	22.23	Granite and Bricks
Rim	300	3.0 X 10	50	Granite and Bricks
Rim	350	3.2 X 10	50	Granite and Bricks

## **SPEED TURBO SAW**

#### **Product Features**

- Unique turbo design
- Fast cutting bond
- Premium diamond grits Long life

Tuno		Dimension (mm)	Use on	
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	056 011
Turbo	105	1.8 X 8	20	Granite and Concrete
Turbo	110	1.8 X 10	20	Granite and Concrete
Turbo	125	2.0 X 10	22.23	Granite and Concrete
Turbo	150	2.2 X 10	22.23	Granite and Concrete
	200	2.2 X 10	22.23	Granite and Concrete

# Other sizes available on request.







51















## **STANDARD**

### **CHAMAK SEGMENTED SAW**

#### **Product Features**

<ul> <li>Fine diamond  </li> </ul>	packed desi	• Chip free cutting •	Long life	
Type		Dimension (mm)		Use on
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	036 01
Segmented	105	1.8 X 8	20	Marble, Lime stones and Brick Walls

## **CHAMAK SHARP SEGMENTED SAW**

#### **Product Features**

Universal segment design
 9 segments
 Cut faster and last longer

Tuno	Dimension (mm)		Use on	
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	Use on
Segmented	110	1.8 X 10	20	Medium Hard Granite and Bricks
Segmented	125	2.0 X 10	22.23	Medium Hard Granite and Bricks
Segmented	150	2.2 X 10	22.23	Medium Hard Granite and Bricks

## **CHAMAK RIM**

#### **Product Features**

- Unique turbo design
- Premium diamond grits
- Fast cutting bond
  - Long life

Tuno	Dimension (mm)		Use on	
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	USE UII
Rim	105	1.8 X 8	20	Granite and Bricks

# Other sizes available on request.

Chamak Courts

## **WALL CUTTERS**

## **CHAMAK WALL CUTTER**

#### **Product Features**

• Coarse and Fine diamond mix

• Anti wear bond · Faster cutting and Long life

Tuno		Dimension (mm)	lloo on	
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	Use on
Segmented	110	1.8 X 10	20	Wall Cutting
Segmented	125	2.0 X 10	22.23	Wall Cutting

### **CHAMAK WALL CHASER**

#### **Product Features**

• Premium diamond for hard concrete

Anti wear bond

• Faster cutting and Long life

Tuno		Dimension (mm) Use on		llee en
Туре	Dia (D)	THK (T) x segment Height (H)	Bore	USE UII
Rim	110	1.8 X 10	20	Wall Cutting
Rim	125	2.0 X 10	22.23	Wall Cutting





## **CHAMAK WALL CUTTER TURBO**

#### **Product Features**

• Slim turbo design • Faster penetration

· Cut faster and last longer

Tuno	Dimension (mm)			Use on
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	058 011
Turbo	110	1.8 X 10	20	Wall Cutting

# Other sizes available on request.



## **CERAMIC SAWS**

## **SPEED CERAMIC SEGMENTED SAW**

#### **Product Features**

· Treated fine diamond grits

• Zero chipping design

• Smooth cutting Long life

T			Dimension (mm)		lles er
Тур	e	Dia (D)	THK (T) x Segment Height (H)	Bore	Use on
Segme	ented	110	1.8 X 10	20	Ceramic & Italian Marbles



## **SPEED CERAMIC RIM**

#### **Product Features** High Stiffness blank

- Zero chipping design · Smooth and fast cutting
- Best suit for Hard Ceramics and Italian **Dimension (mm)** Use on Туре Dia (D) THK (T) x Segment Height (H) Bore 105 Rim 1.6 X 5 20 Ceramic and Italian Marbles



## **SPEED CERAMIC TURBO**

#### **Product Features**

• Zero chipping design

- Best suit for Italian Marble and Vitrified Ceramic
- Smooth cutting
- Long life

Tuno	Dimension (mm)			llee on	
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	Use on	
Turbo	110	1.1 x 8	20	Ceramic and Italian Marbles	

## **SPEED GLASS CUTTING SAW**

## **Product Features** • Ultra thin body - 0.9 mm thick

- · Laser cutting quality
- High quality premium diamond coating
- · Suitable for glass, ceramic and POP

Turne		Dimension (mm)		lles en
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	Use on
Electro plated	100	0.8 X 20	20	Glass, Ceramic and POPs

# Other sizes available on request.





## **PREMIUM CARVING SAWS**

## **SPEED CUP WHEELS**

• Vibration free balanced body

#### **Product Features**

• Larger diamond grits



Tuno		Dimension (mm)	llee en	
Туре	Dia (D)	THK (T)	Bore	Use on
Segmented	75	2.5	20	Granite
Segmented	100	2.5	20	Granite

• Ultra fast grinding

• Longest life









### **SPEED PLATE WHEEL**

#### **Product Features**

Hot press segments
 • Effortless grinding
 • Vibration free balanced body
 • Extra long life

Tuno	Dimension (mm)			Use on
Туре	Dia (D)	THK (T)	Bore	USE OII
Rim	105	3.0	20	Granite and Concrete
Turbo	110	3.0	20	Granite and Concrete

## **SPEED TUCK POINT**

#### **Product Features**

- Laser weldedReliable and Safe
- Treated large diamond grits
- Ultimate cutting speed

Tuno		Dimension (mm)	Use on	
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	USE OII
Segmented	110	5.5 X 7	20	Stone Carving
Segmented	210	5.5 X 8	22.23	Stone Carving

• Longest life

### **CHALLENGER HOT PRESS TURBO**

#### **Product Features**

• 100% Hot press • Special turbo shape for a faster dry cutting • Longest life

Tuno	Dimension (mm)			Use on
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	USE UII
Turbo	200	2.4 X 10	22.23	Dry Cutting Granite

## **EDGE CUTTING SAWS**

### **CHALLENGER DIAMOND SAW**

#### **Product Features**

• Treated diamond grits • Soft cutting for hard granites • Chip free edges • Longest life

Tuno	Dimension (mm)			Use on
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	USE UII
Segmented	355	3.2 X 9	50	Hard Granite

# Other sizes available on request.













## **SPEED DIAMOND SAW**

#### **Product Features**

• Premium diamond grits • Chip free finish

· Long life · Fast cutting

Tuno		Dimension (mm)		llee on
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	Use on
Segmented	355	3.2 X 9	50	Granite

## **SPEED DIAMOND MULTI PURPOSE SAW**

#### **Product Features**

• Cuts Metal, Stone, Concrete, Fibre Glass etc. Unique Vacuum brazing · Faster Cutting and Longer life

Tuno	Dimension (mm)			Use on
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	USE UII
Vacuum Brazed	350	2.8 X 3	25.4	Metal, Stone, Concrete Fibre and Others

# Other sizes available on request.

## **CORE DRILLS**

## **CORE BITS**

#### **Product Features**

• Monolithic body for vibration free drilling

• High concentration diamond bits

· Soft and smooth drilling Long life

Tuno		Dimension (mm)	Use on	
Туре	Dia (D)	THK (T) x Segment Height (H)	Bore	056 011
Thread	6 - 75	2.8 X 8	M10 & M14	Stone and Concrete
Spindle	6 - 75	2.8 X 8	6 MM	Stone and Concrete

## **SPEED DRILLS**

#### **Product Features**

- Suitable for concrete, wall and stones
- Perfect balanced body

High concent	tration diamo	nd segments • Soft and smooth drillin	g
Туре	Dia (D)	Dimension (mm) THK (T) x Length (L)	Use on
Segmented		4 X 475	Concrete

## **SDS CHISELS**

#### **Product Features**


- German Design and Technology • Origin carbide and Harder alloy body
- · Best suit for stone, concrete and bricks Long life
- · Soft and smooth drilling

Tuno		Dimension (mm)	Use on
Туре	Dia (D)	Length (L)	USE UII
SDS X 2CT	5 - 30	50 - 510	Concrete

## **SDS DRILLS & CHISELS**

#### **Product Features**

- · German Design and Technology · Harder alloy body
- · Soft and smooth Chiselling
- Long life **Dimension (mm)** Use on Туре Dia (D) Length (L) SDS 14 - 18 450 Concrete





## **POLISHING ABRASIVES**

## **CHAMAK POLISHING PADS**

#### **Product Features**

- Special Turbo Design, Higher Diamond Thickness
- Hi tech synthetic polymer bonding
- · Scratch free antique finish
- Quick finish and long life

Tuno	Dimension (mm)		lles en
Туре	Dia (D)	THK (T)	Use on
Floor	100	5	Marble and Granite
Hand	100	5	Marble and Granite

## **CHAMAK ANTIQUE BRUSHES**

#### **Product Features**

- Original Du-point bristles
- Scratch free antique finish • Mechanical and Chemical anchoring · Quick finish and long life

Tuno	Dimension (mm)	Use on
Туре	Grit Sizes	056 011
Frankfurt & CRB (Round)	Metal Wire Brush 36, 46, 60, 80, 120, 240, 320, 500, 1000	Marble and Granite

## **CHAMAK GCDC WHEELS**

#### **Product Features**

- Origin Green silicon carbide
- Hi-tech epoxy bonding
- Sharp grains faster grinding
- Long Life

Dimension (mm)		lles en		
Туре	Dia (D)	THK (T)	Bore	Use on
DC	100	2.5	16	Marble, Granite and Glass

## **CHAMAK POLISHING POWDER**

#### **Product Features**

- Oxide and acid free product Quick Polish High Polish Anti Skid
- Environmental Friendly and safe

Tuno	Dimension (mm)	lles en	
Туре	Quantity	- Use on	
Powder	500 gms, 5 Kg and 25 Kg	Marble and Granite	

# Other sizes available on request.

## **WOOD CUTTER SAWS**

### **CUMI GOLD**

#### **Product Features**

- High density alloy treated tungsten carbide tips
- CNC profiled cutting edges
- Fast cutting and Superior finish
- Longer life

Tuno		Dimension (mm)		Use on
Туре	Dia (D)	THK (T) x No. of Teeth	Bore	USE OII
TCT	110	1.8 X 40T	20	Hard Wood and Hot Press Plywood
TCT	110	1.8 X 30T	20	Hard Wood and Hot Press Plywood
TCT	125	1.8 X 40T	20	Hard Wood and Hot Press Plywood
TCT	125	1.8 X 30T	20	Hard Wood and Hot Press Plywood









CARBORUNDUM UNIVERSAL LIMITED

## **SUPER PREMIUM**

## SAND MASTER ULTRA WOOD CUTTER CUT & FIT DESIGN

#### **Product Features**

- High density origin tungsten carbide tips
- Fast cutting and superior finish
- CNC profile cutting edges
- Long life

Tuno	Dimension (mm)			lles en
Туре	Dia (D)	THK (T) x No. of Teeth	Bore	Use on
TCT	110	1.8 X 40T	20	Wood, Plywood, Lamination Board, MDF Boards and Powder Wood
TCT	110	1.8 X 30T	20	Wood, Plywood, Lamination Board, MDF Boards and Powder Wood
TCT	125	1.8 X 40T	20	Wood, Plywood, Lamination Board, MDF Boards and Powder Wood
TCT	125	1.8 X 30T	20	Wood, Plywood, Lamination Board, MDF Boards and Powder Wood

### **SPEED TOUGH WOOD**

#### Product Features

- High density origin tungsten carbide tips
- Suitable for Wood with nails
- Fast cutting and superior finish
- Long life

			-	
Tuno	Dimension (mm)			Use on
Туре	Dia (D)	THK (T) x No. of Teeth	Bore	USE OII
TCT	110	1.8 X 40T	20	Hard Wood, Hard Board Wood with nails and Hot press Board
TCT	110	1.8 X 30T	20	Hard Wood, Hard Board Wood with nails and Hot press Board
TCT	125	1.8 X 40T	20	Hard Wood, Hard Board Wood with nails and Hot press Board
TCT	125	1.8 X 30T	20	Hard Wood, Hard Board Wood with nails and Hot press Board

## **SPEED TWO WAY**

#### Product Features

• Two way cutting design

- Premium origin tungsten carbide tips
- Suitable for Curve cuttings
- Fast cutting and superior finish

Tuno	Dimension (mm)			Use on
Туре	Dia (D)	THK (T) x No. of Teeth	Bore	USE OII
TCT	110	1.8 X 40T	20	Wood and Plywood
TCT	110	1.8 X 30T	20	Wood and Plywood
TCT	125	1.8 X 40T	20	Wood and Plywood
TCT	125	1.8 X 30T	20	Wood and Plywood

## **SPEED DELUXE WOOD CUTTER**

#### Product Features

- Premium treated tungsten carbide tipsStiff Steel body
- Ultra Fast cutting and Superior finish
- Long life

Tuno		Dimension (mm)		llee on	
Туре	Dia (D)	THK (T) x No. of Teeth	Bore	Use on	
TCT	110	2.0 X 40T	20	Hard Wood and Hard Plywood	
TCT	110	2.0 X 30T	20	Hard Wood and Hard Plywood	
TCT	125	2.0 X 40T	20	Hard Wood and Hard Plywood	
TCT	125	2.0 X 30T	20	Hard Wood and Hard Plywood	











Long life

### **SPEED WOOD CUTTER**

#### **Product Features**

• Premium TCT Tips for wood and plywood

• Fast cutting and superior finish

Tupo	Dimension (mm)			Use on	
Туре	Dia (D)	THK (T) x No. of Teeth	Bore	USE UII	
TCT	110	2.0 X 40T	20	Wood and Plywood	
TCT	110	2.0 X 30T	20	Wood and Plywood	
TCT	125	2.0 X 40T	20	Wood and Plywood	
TCT	125	2.0 X 30T	20	Wood and Plywood	

### **CHAMAK SHARP WOOD CUTTER**

#### Product Features

• Premium Carbide

Allov Steel Body

• Suitable for Wood and Plywood

• Long life

Alloy Steel Body		• Fine Finish		
Туре	Dimension (mm)			Use on
	Dia (D)	THK (T) x No. of Teeth	Bore	056 011
TCT	110	1.8 X 40T	20	Wood and Plywood
TCT	110	1.8 X 30T	20	Wood and Plywood
TCT	125	1.8 X 40T	20	Wood and Plywood
TCT	125	1.8 X 30T	20	Wood and Plywood

# Other sizes available on request.

## **PREMIUM METAL CUTTING SAWS**

• Ultra Thin Design

## **SPEED ALUMINIUM CUTTER**

#### **Product Features**

- Unique profile TCG designed Tips • Faster cutting and superior finish
- High density TCT Tips
- Long life

Туре	Dimension (mm)			lles on
	Dia (D)	THK (T) x No. of Teeth	Bore	Use on
TCT	110	2.0 X 40T	20	Wood and Plywood
TCT	255	2.8 X 100T	22.23	Wood and Plywood
TCT	300	3.0 X 100T	25.4	Wood and Plywood
TCT	300	3.0 X 120T	25.4	Wood and Plywood
TCT	350	3.2 X 100T	30.0	Wood and Plywood
TCT	350	3.2 X 120T	30.0	Wood and Plywood

### SPEED STEEL CUTTING SAW

#### **Product Features**

• Unique profiled TCT Tips

- Chip free cutting
- High density Tungsten carbide
- Best suit for Steel and Ferrous metals

High density Tungsten carbide			ten carbide • Burn free	finish ar	id Long life
	Tuno	Dimension (mm)			lles en
	Туре	Dia (D)	THK (T) x No. of Teeth	Bore	Use on
	TCT	250	2.8 X 72T	25.4	Mild Steel
	TCT	300	3.0 X 80T	25.4	Mild Steel

# Other sizes available on request.







CARBORUNDUM UNIVERSAL LIMITED

